



AEMP Supplementary products

for complete RUMED solutions by MMM

MMM. Protecting human health.


Table of contents

- | 01 Cleaning 02
- | 02 Packing and transporting..... 07
- | 03 SteriPack® 12
- | 04 Storing 15

Supplementary products for MMM complete RUMED solutions

As a complete solutions provider for RUMED, we are committed to including in our portfolio of products not only our core products– washer-disinfectors and steam sterilizers – but also useful supplementary products in our overall offering.

To meet the demands of the everyday processes in a RUMED, it is necessary to have solutions that are optimally tailored to one another and which excel in their functionality, quality, and ergonomics. MMM has carefully selected these products to ensure they contribute to workflow optimization and enjoyment in all areas of the RUMED workplace.



Note: Errors and omissions excepted. Illustrations similar.

01 Cleaning



Rinsing table 930, ultrasonic with 2 doors – with fittings

Material number: 010624061

Application/Function:

With ultrasonic unit (Sonorex ZE 1058 DT), AISI 304 stainless steel, storage shelf with splash guard at rear and front skirting, 4 leveling feet

Including:

- | Rack carrier (Stainless steel, accommodates insert racks, 1/2 DIN and 1/1 DIN trays.) and Cover (Stainless steel.)
- | Cleaning table autoclavable water gun with 8 nozzle and Cleaning table autoclavable compressed air gun with 8 nozzle



Technical data

- | Dimensions (WxHxD): 1000 x 2000 x 600 mm
- | Trough size (WxHxD): 600 x 200 x 400 mm
- | External dimensions (WxHxD): 930 x 900 x 700 mm
- | Weight: 144 kg (102 kg)
- | HS-code: 94029000

SONOREX ZE 1058 DT:

Ultrasonic system for mounting in a cleaning table system, space-saving and simple mounting into the worktop, free work area, filling mark for correct dosage, inclined trough base for easy draining, controls on the front side, hygienic maintenance thanks to rounded trough corners and mounting from below, simple mounting by means of screws, suitable for DIN/ISO trays.

- | Trough dimensions (WxHxD): 400 x 200 x 600 mm - 48 lt.
- | Including: Drain set G 1 1/2 type V with bowden cable and stopper of stainless steel



SONOREX ZE 1058 DT



Cleaning table autoclavable water gun with 8 nozzle attachments

Rinsing table with Ultrasonic – without fittings

Material number: 010616873

Application/Function:

With ultrasonic unit (Sonorex ZE 1058 DT), AISI 304 stainless steel, storage shelf with splash guard at rear and front skirting, 4 leveling feet

Including:

- | Rack carrier (Stainless steel, accommodates insert racks, 1/2 DIN and 1/1 DIN trays) and Cover (Stainless steel)

Technical data

- | Dimensions (WxHxD): 1000 x 2000 x 600 mm
- | Trough size (WxHxD): 600 x 200 x 400 mm
- | External dimensions (WxHxD): 930 x 900 x 700 mm
- | Weight: 144 kg (102 kg)
- | HS-code: 94029000

SONOREX ZE 1058 DT:

Ultrasonic system for mounting in a cleaning table system, space-saving and simple mounting into the worktop, free work area, filling mark for correct dosage, inclined trough base for easy draining, controls on the front side, hygienic maintenance thanks to rounded trough corners and mounting from below, simple mounting by means of screws, suitable for DIN/ISO trays.

- | Trough dimensions (WxHxD): 400 x 200 x 600 mm - 48 lt.



SONOREX ZE 1058 DT



Simple cleaning table system with two wash basin one ultrasonic bath

Material number: 010616874

Application/Function:

Sink Bench In Satin S/S Aisi 304 -2790x900x700 mm (WxHxD).

- | Left Side: Sink Bench (W) 930 mm with N.2 Hinged Blind Doors, N.1 Internal Drawer Dim. 840x600 mm (WxD), N.1 Sink Dim. 600x500x300 mm, N.1 Mixer with Double Jet Magnetic Attachment And Clinical Lever, N.1 Water Gun, N.1 Air Gun with Connector 1/2", N.1 Splashguard
- | Middle: Sink Bench (W) 930 mm with N.2 Hinged Blind Doors, N.1 Ultrasonik Sink Model Bandelin Ze 1058 DT
- | Right Side: Sink Bench (W) 930 mm with N.2 Hinged Blind Doors, N.1 Internal Drawer Dim. 840x600 Mm (WxD), N.1 Sink Dim. 600x500x300 mm, N.1 Mixer with Double Jet Magnetic Attachment and Clinical Lever, N.1 Water Gun, N.1 Air Gun with Connector 1/2"; Unique S/S Top With Rear Lifting (H) 80 mm; Back Panel (W) 2790 mm With Led Bar Light; Unique Plinth On The Front, Left And Right Side; Adjustable Feet

Bandelin-Komponenten:

- | N.1 SONOREX ZE 1058 DT Ultrasonic Bath For Installation, Complete Sink (Generator, Sink, Control Panel, Flushed Frame And Drain Set G 1 1/2 Type V)
- | N.1 SONOREX D 1058 G Hinged Lid, Lid With Hinges
- | N.1 SONOREX KT 57 Korbträger, Korbträger
- | N.1 SONOREX D 57 Lid, Simple Lid
- | N.1 SONOREX K 29 EM Insert Basket

Technical data

- | HS-code: 94029000
- | Country of origin: Italy (EU)
- | Weight: net 330 kg, Gross weight 450 kg



Cleaning table system 2000mm

Material number: 010547159

Technical data

- | Wash basin dimensions (WxHxD): 600 x 300 x 500 mm
- | External dimensions (WxHxD): 2000 x 900 x 715 mm
- | Material : ALSI 304 stainless steel
- | HS-code: 94029000
- | Country of origin: Italy (EU)
- | Weight: 80,21 kg



Cleaning table swinging spray head with dual nozzle

Material number: 010547183

Application/Function:

Mixer with dual nozzle and magnetic holder for spray head.

Technical data

- | Dimension: H 460mm
- | HS-code: 94029000
- | Country of origin: Italy (EU)
- | Weight: 2 kg



SONOREX DT 514 BH Table Top complete

Material number: 010616885

Application/Function:

Ultrasonic baths with membrane keyboard, degas function, freely selectable sound pulse visible on LED display, LED display of target and actual temperature, timer with minute selection or continuous operation and LED display of time remaining, SweepTec® – peak ultrasonic power of four times the HF power.

Technical data

- | Trough dimensions (WxHxD): 300 x 150 x 325 mm - 13.5 lt.
- | HS-code: 94032080
- | Country of origin: Federal Republic of Germany (EU)
- | Weight: netto 12,3 kg



Including:

- | Cover (Mat. no.: 010621859)
- | Hanging basket (Mat. no.: 010546962)

SONOREX DT 1028 H Table Top complete

Material number: 010616886

Application/Function:

Ultrasonic baths with membrane keyboard, degas function, freely selectable sound pulse visible on LED display, LED display of target and actual temperature, timer with minute selection or continuous operation and LED display of time remaining, SweepTec® – peak ultrasonic power of four times the HF power.

Technical data

- | Trough dimensions (WxHxD): 300 x 200 x 500 mm - 28 lt.
- | HS-code: 94032080
- | Country of origin: Federal Republic of Germany (EU)
- | Weight: netto 16,7 kg



Including:


- | Rack carrier (Mat. no.: 010546958)
- | Cover (Mat. no.: 010546960)
- | Hanging basket (Mat. no.: 010546963)

Cleaning table autoclavable water gun with 8 nozzle attachments

Material number: 010547186

Technical data

- | HS-code: 84242000
- | Country of origin: Italy (EU)
- | Weight: 2 kg (netto 1 kg)



Cleaning table autoclavable compressed air gun with 8 nozzle attachments

Material number: 010547187

Technical data

- | HS-code: 84242000
- | Country of origin: Italy (EU)
- | Weight: 2 kg (netto 1 kg)



02 Packing and transporting

Packing table with rear rack and LED lighting

Material number: 010616875

Application/Function:

Packing table in satin stainless steel AISI 304, electrical adjustable height from a minimum of 710 mm to a maximum of 1140 mm.

Including:


- | 1 upper shelf with LED bar lighting
- | 4 universal hanging bars and 20 hooks
- | 2 electrical schuko sockets
- | 1 button for LED light
- | 1 button for the height regulation

Accessories:

- | 1 LED light with magnifying lamp
- | 1 arm for monitor and keyboard support
- | 1 stainless steel wire basket 1 STU with front opening
- | 1 stainless steel wire basket 1/2 STU with front opening
- | 2 stainless steel wire basket Dim. 153x231x125 mm
- | 1 universal shelf Dim. approx. 600x360x260 mm (WHD)
- | 1 drawers module on castors with 3 drawers (Material number: 010618255)
- | 1 roll dispenser with cutter cutting width 790 mm

Technical data

- | Dimension: 2000x710-1140x800 mm (WxHxD)
- | HS-code: 94029000
- | Country of origin: Italy (EU)
- | Weight: 229 kg (net 213 kg)



Medical service trolley, 3 shelves, 800 mm

Material number: 010032061

Application/Function:

Medical service trolley in standard design with deep-drawn storage shelves. Stainless steel.

Technical data

- | HS-code: 94032080
- | Country of origin: Federal Republic of Germany (EU)
- | Weight: 19 kg net
- | Dimension: 800 x 500 mm (WxD)



Shelved transport trolley 10-6, portable

Material number: 010546885

Application/Function:

Portable shelves made from high-quality stainless steel and hygienic construction as per DIN 18868-2, dismantlable, made from stainless steel, 150 mm height grid.

Technical data

- | HS-code: 94029000
- | Country of origin: Federal Republic of Germany (EU)
- | Weight: 33 Kg net
- | Dimension: 1000x1652x600 mm (WxHxD)
- | Incl. 4 closed shelves
- | Shelves dimension: 1000x500 Norm 5
- | Shelf load: 150 kg



Drawers module on castors with 3 drawers

Material number: 010618255

Application/Function:

N.3 Drawers module in satin s/s aisi 304

Technical data

- | Dimension: -450x500x450 mm (WxHxD)
- | Country of origin: Italy (EU)
- | Weight: 22 kg



Workbench 1200

Material number: 010547138

Application/Function:

- | AISI 304 stainless steel
- | lined tabletop
- | removable under shelf
- | 4 levelling feet

Technical data

- | HS-code: 94029000
- | Country of origin: Italy (EU)
- | Weight: 57 kg
- | Dimension: 1200 x 900 x 715 mm (WxHxD)



Sterile goods transport trolley

Material number: 010546901

Application/Function:

6 StU capacity, fully welded. Closed sterile goods transport trolley made from stable, self-supporting and hygienic fully welded body made from high-quality stainless steel, with vertical push handles. Equipped with 2 height adjustable, solid shelves. Double-walled hinged doors with 270° opening angle and equipped standard with a 2-point central door locking mechanism.

Circumferential door seals offer reliable protection against dust, and a circumferential guard at the bottom of the trolley protects against damage. Easy to clean thanks to easily removable internal parts. Trolley is portable with 2 swivel castors with brakes and 2 fixed castors, in zinc/chrome plated housings, Ø 160 mm.

Technical data

- | HS-code: 87168000
- | Country of origin: Federal Republic of Germany (EU)
- | Weight: 96,61 kg
- | External dimensions: (WxHxD): 965 x 1445 x 754 mm
- | Internal dimensions: (WxHxD): 744 x 1124 x 649 mm



Sterile goods transport trolley

Material number: 010060971

Application/Function:

9 StU capacity, fully welded. Closed sterile goods transport trolley made from stable, self-supporting and hygienic fully welded body made from high-quality stainless steel, with vertical push handles. Equipped with 2 height adjustable, solid shelves. Double-walled hinged doors with 270° opening angle and equipped standard with a 2-point central door locking mechanism.

Circumferential door seals offer reliable protection against dust, and a circumferential guard at the bottom of the trolley protects against damage. Easy to clean thanks to easily removable internal parts. Trolley is portable with 2 swivel castors with brakes and 2 fixed castors, in zinc/chrome plated housings, Ø 160 mm.

Technical data

- | HS-code: 87168000
- | Country of origin: Federal Republic of Germany (EU)
- | Weight: 80 kg
- | External dimensions (WxHxD): 1249 x 1440 x 754 mm
- | Internal dimensions: (WxHxD): 1028 x 1124 x 649 mm



Sterile goods transport trolley

Material number: 010082747

Application/Function:

6 StU capacity, standard. Closed sterile goods transport trolley made from stable, self-supporting body made from high-quality stainless steel, with vertical push handles. Equipped with 2 height adjustable, solid shelves. Doublewalled hinged doors with 270° opening angle and equipped standard with a 2-point central door locking mechanism.

Circumferential door seals offer reliable protection against dust, and a circumferential guard at the bottom of the trolley protects against damage. Easy to clean thanks to easily removable internal parts. Trolley is portable with 2 swivel castors with brakes and 2 fixed castors, in zinc/chrome plated housings, Ø160 mm.

Technical data

- | HS-code: 87168000
- | Country of origin: Federal Republic of Germany (EU)
- | Weight: 50 kg
- | External dimensions (WxHxD): 965 x 1469 x 751 mm
- | Internal dimensions: (WxHxD): 745 x 1126 x 650 mm



Sterile goods transport trolley

Material number: 010546902

Application/Function:

9 StU capacity, standard. Closed sterile goods transport trolley made from stable, self-supporting body made from high-quality stainless steel, with vertical push handles. Equipped with 2 height adjustable, solid shelves. Doublewalled hinged doors with 270° opening angle and equipped standard with a 2-point central door locking mechanism.

Circumferential door seals offer reliable protection against dust, and a circumferential guard at the bottom of the trolley protects against damage. Easy to clean thanks to easily removable internal parts. Trolley is portable with 2 swivel castors with brakes and 2 fixed castors, in zinc/chrome plated housings, Ø160 mm.

Technical data

- | HS-code: 87168000
- | Country of origin: Federal Republic of Germany (EU)
- | Weight: 109,38 kg
- | External dimensions (WxHxD): 1249 x 1469 x 751 mm
- | Internal dimensions: (WxHxD): 1045 x 1126 x 650 mm



03 SteriPack®

MMM SteriPack® 95

Material number: 010531704

Application/Function:

This continuous sealing device features a very user-friendly menu control via a color touch screen. Alternatively, the sealing device can also be programmed and operated simply and easily via a barcode scanner. The critical parameters sealing temperature, contact pressure, and sealing speed are monitored automatically during the sealing process. If any of the parameters are incorrect, an acoustic alarm is issued and the sealing process stops. The SteriPack® 95 continuous sealing device is also equipped with several PC interfaces for connection to a process and batch documentation system (RS 232, Ethernet, and USB).

Technical data

- | HS-code: 84224000
- | Country of origin: Federal Republic of Germany (EU)
- | Weight: 14 kg
- | Dimensions (WxHxD): 710/830 x 240 x 260 mm



MMM SteriPack® 85

Material number: 010082993

Application/Function:

The SteriPack® 85 is equipped with an easy to read keyboard display and LC display. This central control panel provides access to all device functions and settings in a user-friendly manner. The critical parameters sealing temperature, contact pressure, and sealing speed are monitored automatically during the sealing process. If any of the parameters are incorrect, an acoustic alarm is issued and the sealing process stops. The SteriPack® 85 is also equipped with several PC interfaces for connection to a process and batch documentation system (RS 232). The continuous sealing device therefore guarantees efficient and reproducible packaging in applications with a high turnover of instruments.

Technical data

- | HS-code: 84224000
- | Country of origin: Federal Republic of Germany (EU)
- | Weight: 21 kg
- | Dimensions (WxHxD): 710 x 240 x 260 mm



Cutting device hm 631 S

Material number: 010007774 only for SteriPack® 95

Technical data

- | HS-code: 84229090
- | Country of origin: Federal Republic of Germany (EU)
- | Weight: 13 kg
- | Material : Chrome steel
- | Dimension : 102x22x10 cm (WxHxD)



Foil-roll dispenser hm 632 R

Material number: 010033338 only for SteriPack® 95

Technical data

- | HS-code: 84229090
- | Country of origin: Federal Republic of Germany (EU)
- | Weight: 12 kg
- | Material : Chrome steel
- | Dimension : 105x53x16 cm (WxHxD)



Barcode printer 2000

Material number: 010610435 only for SteriPack® 95

Technical data

- | HS-code: 84433210
- | Country of origin: Federal Republic of Germany (EU)
- | Weight: 7,5 kg
- | Dimension: 35x35x30cm (WxHxD)



Barcode scanner 2000

Material number: 010555401 only for SteriPack® 95

Technical data

- | HS-code: 84716070
- | Country of origin: Federal Republic of Germany (EU)
- | Weight: 0,89 kg



Tray table with rollers 500

Material number: 010085318 only for SteriPack® 95

Technical data

- | HS-code: 84229090
- | Country of origin: Federal Republic of Germany (EU)
- | Weight: 5,40 kg
- | Dimensions (WxHxD): 830 x 60 x 280 mm
- | Material : Aluminium



04 Storing



Sliding window

Material number: 010547321

Application/Function:

800 mm, manual. Manually operated glass sliding window in metal frame, vertical travel with PET guide rails. Sliding element made from safety glass with handle. Easy opening and closing of the sliding window with integrated weight compensator.

Technical data

- | HS-code: 94029000
- | Country of origin: Italy (EU)
- | Weight: 55 kg
- | Material: Satin stainless steel AISI 304
- | Dimensions (WxH): 800 x 1235 mm



Rack hatch

Material number: 010618393

Application/Function:

2-door, 800 mm with base. Manual operated double-door rack hatch with glass sliding window made from safety glass with handle in metal frame, incl. installation frame, electric door lock, vertical travel with PET guide rails. Easy opening and closing of the sliding window with integrated weight compensator. Base with two glass doors and electric door lock. Electric door opener, LED button with 2-color status display (green=free, red=in use).

Technical data

- | HS-code: 94029000
- | Country of origin: Italy (EU)
- | Weight: 163 kg
- | Material: Satin stainless steel AISI 304
- | Dimensions (WxH): 800 x 2035 mm



Tall cupboard

Material number: 010547048

Application/Function:

2-doors, 930 mm with glass door and 5 levels
AISI 304 stainless steel, with base cover, 4 leveling feet, lined shelves, integrated door hinges with 270° opening angle, 2 bow door handles.

Technical data

- | HS-code: 94029000
- | Country of origin: Italy (EU)
- | Weight: 170 kg
- | Dimensions (WxHxD): 930 x 2100 x 700



Storage shelves

Material number: 010546912

Application/Function:

- | Shelving unit, Norm 5, standard
- | Basic shelving unit with 4 levels – Shelves: solid Norm 5 shelf, bay load: 600kg, shelf load: 125 kg
- | Material: Stainless steel

Technical data

- | HS-code: 94032080
- | Country of origin: Federal Republic of Germany (EU)
- | Weight: 29,755 kg
- | Dimension (WxHxD): 1000 x 2000 x 600 mm



MMM. Our global branches.



**Münchener Medizin
Mechanik GmbH**

MMM Group

MMM has been operating worldwide as one of the leading system providers in service of health since 1954. With a complete range of products and services relating to all aspects of cleaning, disinfection and sterilization systems for the fields of Healthcare and Life Sciences, MMM has positioned itself as a major driver of quality and innovation in both the German and international markets. Our products are

individually adapted to the requirements of our customers all over the world. The high vertical integration of the manufacturing in our plants ensures that we fulfill the most stringent demands for quality in the medical technology industry. More than 1200 employees apply their expertise and dedication to the mission of the MMM Group:

MMM. Protecting human health.

Semmelweisstraße 6
82152 Planegg/Munich, Federal Republic of
Germany

Tel.: +49 89 89918-0

E-mail: info@mmmgroup.com

www.mmmgroup.com

